

KWT 7112 iG

Built-in wine unit

with FlexiFrame Plus and Push2open for the most demanding wine connoisseurs.



- Great storage of larger wine bottles thanks to FlexiFrame Plus
- Perfect design for handleless kitchens – Push2open
- Odourless refrigeration section thanks to Active AirClean filters
- Present your wine in the perfect light – LED lighting
- Optimum wine protection through UV filters in tinted glass front



EAN: 4002516150701 / Material number: 11186560 / Old Material Number: 36711200EU1

| Appliance category | |
|--|--------------------------------|
| Wine conditioning unit | • |
| Construction type | |
| Built-in appliance | • |
| Integrated appliance | • |
| Door hinge | Bottom |
| Design | |
| Front colour | Stainl. steel CleanSteel glass |
| Wine compartment lighting | LED illumination |
| User convenience | |
| Networking with Miele@home | • |
| Accessories required | XKS 3130 W, XKV 3000 KF |
| DynaCool | • |
| SoftClose | • |
| Concealed door opener | Push2open |
| Push2open | • |
| No. of wooden racks | 3 |
| Number of FlexiFrame Plus wooden racks | 2 |
| Low-vibration storage | • |
| Controls | |
| Operating concept | TouchControl |
| Independent temperature regulation of fridge and freezer zones | No |
| No. of temperature zones | 1 |
| Min. temperature setting range in °C | 5 |
| Max. temperature setting range in °C | 20 |
| Efficiency and sustainability | |
| Energy efficiency class (A–G) | G |
| Annual energy consumption in kWh | 115.71 |
| Energy consumption in 24 h in kWh | 0.31 |
| Safety | |
| Lock function | • |
| Acoustic door alarm | • |
| Optical door alarm | • |
| Optical temperature alarm | • |
| Technical data | |
| Niche width in mm min. | 560 |
| Niche width in mm max. | 570 |
| Niche height in mm min. | 450 |
| Niche height in mm max. | 452 |
| Niche depth in mm | 550 |
| Appliance width in mm | 595 |
| Appliance height in mm | 455 |
| Appliance depth in mm | 559 |
| Weight in kg | 36.0 |
| Climate class | SN-ST |
| Refrigerator compartment in l | 47 |
| Wine conditioning zone in l | 47 |
| Total usable capacity in l | 47 |

KWT 7112 iG

Built-in wine unit

with FlexiFrame Plus and Push2open for the most demanding wine connoisseurs.



EAN: 4002516150701 / Material number: 11186560 / Old Material Number: 36711200EU1

| | |
|--|---------|
| Storage time in case of fault in h | 0 |
| Acoustic airborne noise emission class (A–D) | B |
| Sound emissions in dB(A) re 1 pW | 32 |
| Current consumption (mA) | 500 |
| Voltage in V | 220-240 |
| Fuse rating in A | 10 |
| Number of phases | 1 |
| Frequency in Hz | 50 |
| Length of supply lead in m | 2.2 |

Accessories supplied


Active AirClean filter

•

KWT 7112 iG


Built-in wine unit

with FlexiFrame Plus and Push2open for the most demanding wine connoisseurs.




KWT7112 iG, *Footnote (Sketch)

* Appliances with glass front, ** Appliances with metal front,




KWT7112 iG (Sketch)



KWT7112 iG, *Footnote (Sketch)

* Appliances with glass front, ** Appliances with metal front, 1) Front view, 2) Mains connection cable, L=2200 mm, 3) No connection in this area,



KWT7112iG, KWT6112iG, Interior dimensions (Installation drawings)